optoWare®

OwDigi Tablet based Order Entry Software developed by OptoWare®





OwDigi is a tablet based Order Entry Software and it is a part of OW Studio Developed by OptoWare®

Discover the most modern technology of tablet based digitalized Order Entry software.

The pen based tablet is connected as a second screen to an existing Windows PC. (example is a Wacom DTU 1631)



Your advantages:


- > Fully based on SF6 product catalogs
- Automatic change to the customer individual SF6 products
- Full dynamic desktop with direct access to the products
- Very fast order entry without the limitations of Windows selection boxes
- Dynamic keyboard windows near the input fields for short hand moves
- Integrated shape drawing for thickness optimized orders
- Online calculation if the OptoWare RX Lab software is running.
- Creates B2Boptics XML orders fully standard compatible
- Uses OWStudio customer and product database
- Supported order types: Lens, Frame, Specs, Bundles of frames and lenses
- Features eg. product filters are customizable to your needs
- Multilingual support (German, English, French, Dutch, Italian and more). If there is a need of other languages, OW can support the translation with a tool which will be provided to the customer.
- Tracer compatibility to Nidek, Weko, Essilor, Hoya, National Optronics, Briot, Takubomatic, INDO/Schöne, Topcon for edging orders
 - The list of the devices presently supported by OptoWare can be found on the last page.





Dynamic keyboard windows for short hand moves

An individual adaptation of the field structure and filter buttons is possible.




OwDigi detects different product catalogues automatically after customer selection and allows to switch between customer individual and your standard product catalog when freed.

The system checks permitted ranges of selected product group automatically after refraction entry and shows only freed lens types.

Add needed centration and individual parameter in one view.

To minimize order entry mistakes, collect several orders of a customer in a basket and check them before save.









Reset

Shape tracing, Edging Data and Glazing Data


- Taking over or/and editing of centering data
- Shape Tracing
- Database with frame and shape data
- Edging data accommodation
- Drill holes editing inside the Shape





Lens calculation and calculation consulting printout

Use the form data to calculate the lens thickness, for thickness optimization and consultancy purposes. Allow to compare two different lenses / lens types and to show the deviations between them. Also it is possible to show the thickness of lenses on every position inside of shape or inside of original lens diameter. Print your consultancy purposes or / and create a PDF-file



List of the devices presently supported tracers

Weco Trace II

Weco Trace III

Weco FormTracer 3-D plus

Briot Scanform net

Briot Scanform net 2

Briot Accura Cx

Nidek RD 100 (projected)

LT700 Nidek

Nidek LT900

Nidek LE-7070SX

Nidek LE-9000 SX

National Optronic 4TI (OMA)

National Optronic Dimension

Essilor Phi

Essilor Kappa (OMA)

Essilor Kappa (ESL3D)

Essilor Tess

Essilor eTess

Hoya GT 1000

Hoya GT 3000 (HOYA3D)

Hoya GT 3000 (OMA)

Hoya UT 1000

INDO/Schöne 3D Teleform

INDO/Schöne 3D Combimax

Topcon FR-50

Takubomatic

